



de Venezuela C.A.

MATERIAL SAFETY DATA SHEET

SECTION I: PRODUCT AND COMPANY IDENTIFICATION:

Product name: **Total Coat TC- Undercoating**
Manufacturer name: Total Coat de Venezuela C.A.
Urbanización Industrial Los Alpes,
Av. 93-A, Nro. 116-51,
Sector La Guacamaya, Valencia, Edo. Carabobo.
Venezuela.
U.S. Distributor: Chemicar USA
670 New York Street
Memphis, TN 38104
901/274-3347 phone
Emergency phone number: 1-800-424-9300

HMIS Rating Information:		Item Numbers:
Health	1	TC/SCIt-12
Flammability	0	TC/SCIt-18
Reactivity	0	TC/SCIt-200

SECTION II: HAZARDOUS INGREDIENTS

Ingredients	Cas #	% weight	LC50,ppm inhalation, rat	LD50, mg/Kg oral, rat
Calcium Carbonate	1317-65-3	20-50	N/Av	6450
Divinyl emulsion	N/Av	40-60	N/Av	N/Av

SECTION III: CHEMICAL AND PHYSICAL DATA:

Chemical formulation: Mixed Products
Short description: Synthetic polymers mix, black colorant,

Uses:	calcium carbonates and adherence agents. Sound deadener, anti-chipping protection, corrosion protection.
Form:	Liquid
Color:	Black when dry.
Odor:	None.
Boiling point:	100 C
Specific gravity:	1,50 gr/ml
Viscosity:	30.000 to 40.000 Cp

SECTION IV: FIRE AND EXPLOSIVE DATA

Flame point:	N/A
Auto-ignition point:	N/A
Explosion and fire danger:	None

SECTION V: REACTIVITY DATA:

Stability	Product is Stable.
Unstable at contact with:	None
Dangerous by-products:	None
Hazardous Decomposition Products:	Decomposition will release gasses such as carbon dioxide.

SECTION VI: HEALTH HAZARD DATA:

Routes of Entry: Inhalation, Skin contact, eye contact, ingestion.

Inhalation:	Avoid inhalation of vapors and mist.
Skin and eyes:	Avoid contact.
Ingestion:	May cause gastrointestinal irritation, contact Physician.

Acute Health Hazard: Abrasiveness of filler may cause eye and skin irritation. Flush eyes with water for at least 15 min and if irritation persist get medical attention. Wash skin thoroughly with soap and water.

Chronic effects: Prolonged or repeated skin contact may cause drying of the skin.

SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE.

SPILLAGE / LEAKAGE PROCEDURE: Collect spilled material with absorbent and dispose according to state or local requirements.

SECTION VIII: CONTROL MEASURES

HEALTH PROTECTION DEVICES:

Breath:	Wear a paper mask respiratory protection.
Skin:	Plastic gloves.
Eyes:	Safety glasses.
Additional protection:	Not needed

SPECIAL PROCEDURES:

Storage:	Keep away from sources of heat. Keep container tightly closed. Keep from freezing Store in cool and dry place
----------	--

DISPOSAL CONSIDERATIONS:

Local regulations should be adhered to.
For disposal of empty containers local regulation is binding.
Product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with legal regulations. The information contained herein is intended to describe our product from the point of view of safety requirements.

This Safety Data Sheet is certified by:



de Venezuela C.A.

Eduardo Abad
Total Coat - Director