Safety Data Sheet acc. to GHS

Printing date 06/19/2023

# Reviewed on 06/19/2023

# 1 Identification

### · Product identifier

Trade name: <u>Total Coat Bedliner</u>

Article number: TC/BL

*Relevant identified uses of the substance or mixture and uses advised against* No further relevant information available.

- Application of the substance / the mixture : Corrosion and abrasion protection coating
- · Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* Chemicar USA 670 New York Street Memphis, TN 38104 Tel: 1 (800) 261-7976 Fax: 1 (901) 274-8816 Email: Gino.Bauwens@chemicar.com

Information department: Claus.Grafe@chemicar.com Emergency telephone number: Tel: 1 (800) 424-9300

# 2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

H302:Harmful if swallowed H315:Causes skin irritation H320:Causes eye irritation

# Label elements GHS label elements

• The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms GHS07

# Signal word WARNING Hazard -determining components of labeling:

Butyl cellosolve Hazard statements

H302:Harmful if swallowed H315:Causes skin irritation H320:Causes eye irritation

# Precautionary Statements

P264: Wash hands thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear protective gloves/protective clothing/ eye protection/face protection.
P302+P352: IF ON SKIN: Wash with plenty of soap and water.
P332+ P313: If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2) USA Safety Data Sheet acc. to GHS

Printing date 06/19/2023

Trade name: Total Coat Bedliner

Reviewed on 06/19/2023

(Contd. of page 1)

#### Precautionary Statements Cont.

P363: Wash contaminated clothing before reuse.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P301+ P312: IF SWALLOWED: Call a Poison Center or doctor/physician if you feel unwell.
P403+P235: Store in a well ventilated place. Keep Cool.
P405: Store locked up.
P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws, regulations and product characteristics at time of disposal.

Hazard description:

Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with additions.

· Dangerous components:

L	Dangelous components.				
	CAS: 111-76-2 C number: N/A	2-Butoxyethanol	1 to 5%		

Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First-aid measures

#### Description of first aid measures

*After inhalation:* If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops.

*After skin contact:* Wash thoroughly affected areas with plenty of soap and water. Get medical attention if irritation occurs.

*After eye contact:* Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if symptons persist. *After swallowing:* If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delyaed: May irritate and cause redness and pain.

*Indication of any immediate medical attention and special treatment needed* No further relevant information available. Safety Data Sheet acc. to GHS

Printing date 06/19/2023

Trade name: Total Coat Bedliner

Reviewed on 06/19/2023

(Contd. of page 2)

## 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder, water, water jet. For safety reasons unsuitable extinguishing agents: Not Applicable
- . Special hazards arising from the substance or mixture No further relevant information available.
- . Advice for firefighters
- · Protective equipment: Mount respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

## 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- *Environmental precautions:* Avoid release into the environment.

## Methods and material for containment and cleaning up:

· Absorb with vermiculite or other inert material, then place in container for chemical waste.

Large spillages: Flush spill area with water spray. Prevent runoff from entering drains, sewers, or streams. Contain for later disposal.

#### Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

**Precautions for safe handling:** Avoid breathing mists or vapors. Avoid contact with eyes, skin and clothing. Do not taste or swallow. Use only with adequate ventilation. Wash thoroughly after handling. Minimize exposure to air.

*Information about protection against explosions and fires:* Not required. *Conditions for safe storage, including any incompatibilities* 

Storage: Keep container tightly closed and in a well ventilated place.

*Requirements to be met by storerooms and receptacles:* Store in a cool location. Store away from heat and light. Do Not Freeze

Information about storage in one common storage facility: Not required.

*Further information about storage conditions:* Not required. *Specific end uses:* No further relevant information available.

Reviewed on 06/19/2023

Trade name: Total Coat Bedliner

# 8 Exposure controls/personal protection

\* Additional information about design of technical systems: No further data

- · Control parameters
- Components with limit values that require monitoring at the workplace:

2-Butoxyethanol; ethylene glycol monobutyl ether butyl cellosolve

PEL Long-term value: 240 mg/m<sup>3</sup>, *50* ppm

TWL 20 ppm

REL Not Applicable TLV Not Applicable

*Additional information:* The lists that were valid during the creation were used as basis. *Exposure controls* 

*Appropriate engineering controls:* Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

# Personal protective equipment:

General protective and hygienic measures:

Wash hands before breaks and at the end of work. Observe good industrial hygiene practices. Do not inhale fumes.

### Breathing equipment:

The use of an N rated dust/particle mask respirator is recommended.

# Protection of hands:



Protective gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile, latex or poly disposable gloves.

# Penetration time of glove material

> 480 min.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# Eye protection:



Tightly sealed goggles

Body protection: Use protective suit.

Printing date 06/19/2023

Reviewed on 06/19/2023

Trade name: Total Coat Bedliner

· Odour threshold:       No         · pH-value:       7.         · Change in condition       Melting point/Melting range:	Fluid Black Characteristic ot determined. 2- 8.5 Iot Determined. 00 °C/212 °F 0 °
<ul> <li>General Information</li> <li>Appearance:         <ul> <li>Form:</li> <li>Color:</li> <li>Odor:</li> <li>Odour threshold:</li> <li>PH-value:</li> <li>Change in condition</li> <li>Melting point/Melting range:</li> </ul> </li> </ul>	Fluid Black Characteristic ot determined. 2- 8.5 Iot Determined. 00 °C/212 °F 0 °
Form: Color: Odor: Odour threshold: pH-value: Change in condition Melting point/Melting range:	Black Characteristic ot determined. 2- 8.5 lot Determined. 00 °C/212 °F 0 °
Form: Color: Odor: Odour threshold: pH-value: Change in condition Melting point/Melting range:	Black Characteristic ot determined. 2- 8.5 lot Determined. 00 °C/212 °F 0 °
<ul> <li>Odor: Odor: No</li> <li>Odour threshold: No</li> <li>pH-value: 7.</li> <li>Change in condition Melting point/Melting range: No</li> </ul>	Characteristic ot determined. 2- 8.5 lot Determined. 00 °C/212 °F 0 °
· Odour threshold:       No         · pH-value:       7.         · Change in condition       Melting point/Melting range:	ot determined. 2- 8.5 lot Determined. 00 °C/212 °F 0 °
Odour threshold:     pH-value: 7.     Change in condition     Melting point/Melting range: N	2- 8.5 lot Determined. 00 °C/212 °F 0 °
Change in condition     Melting point/Melting range:	lot Determined. 00 °C/212 °F 0 °
Melting point/Melting range:	00 °C/212 °F 0 °
Melting point/Melting range:	00 °C/212 °F 0 °
Boiling point/Boiling range: 10	
Freezing point/ Freezing range:	C/32 °F
· Flash point: No	ot Determined
· · · · · · · · · · · · · · · · · · ·	ot Applicable.
· Ignition temperature: N	ot Applicable
· Decomposition temperature: No	ot determined.
· Auto igniting: Pi	roduct is not selfigniting.
· Danger of explosion: Pr	oduct is not explosive.
· Explosion limits:	
	ot Applicable
	ot Applicable
· Vapor pressure at 20 °C: N	ot Applicable
	ot Applicable
• Density at 20 °C: 1.	2 g/cm³ (DIN 51757)
	ot determined.
· Vapour density N	ot determined.
• Evaporation rate N	ot determined.
Solubility in / Miscibility with	
<i>Water:</i> 10	00%
Partition coefficient (n-octanol/water): No	t determined.
Viscosity:	
	3,000 to 12,000 cPs at 25 C°
Kinematic:	Not determined
· Solvent content:	
Organic solvents:	5 %
Water:	20%
VOC content:	60 gr/l
Solids content:	75%
• Other information N	o further relevant information available.
· VOC (EU):	60 g/L
VOC (EU):	5%
• VOC (US):	60 g/L (0.5lbs/gal)

# 10 Stability and reactivity

*Reactivity:* None known *Chemical stability:* Stable

*Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications. *Possibility of hazardous reactions* No dangerous reactions known.

*Possibility of hazardous reactions* No dangerous reactions known. *Conditions to avoid* Do not freeze. Keep away from open flames.

Incompatible materials: No further relevant information available.

*Hazardous decomposition products:* Burning may produce oxides of carbon and nitrogen, hydrogen, cyanide as well as other toxic gases and vapors.

Safety Data Sheet acc. to GHS

Printing date 06/19/2023

Reviewed on 06/19/2023

Trade name: Total Coat Bedliner

(Contd. of page 5)

11 Toxicological information							
· Information on toxicological effects							
	· Acute toxicity: · LD/LC50 values that are relevant for classification:						
· LD/LC50 v							
CAS-No: 1	11-76-2 2	-Butoxyethanol					
Oral	LD50	1.300 mg/kg					
Dermal	LD50	2.000 mg/kg					
Inhalative	LC50/4 h	4.9 mg/l					
On the ski On the eye Sensitizat Additional Carcinogen	Ingestion: Harmful if swallowed. On the skin: Irritation to skin and mucous membranes. On the eye: Irritation to eyes. Sensitization: No sensitizing effects known. Additional toxicological information: No further relevant information available. Carcinogenic categories						
	· IARC (International Agency for Research on Cancer)						
	None of the ingredients is listed.						
		ogy Program)					
None of the	ingredient	s is listed.					
· OSHA-Ca (l	· OSHA-Ca (Occupational Safety & Health Administration)						
None of the ingredients is listed.							

# 12 Ecological information

### Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

*Bioaccumulative potential:* No further relevant information available. *Mobility in soil* No further relevant information available. *Ecotoxical effects:* 

*Remark:* No further relevant information available *Additional ecological information:* 

*General Notes:* Do not release untreated into natural waters. At the present state of knowledge, no negative ecological effects are expected.

Biodegredation Product: >70% (Zahn Wellens Method).

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

# 13 Disposal considerations

### Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. *Uncleaned packagings:* 

**Recommendation:** Disposal must be made according to local/state/federal/international official regulations.Let uncleaned containers air dry and recycle as a plastic.



Printing date 06/19/2023

Reviewed on 06/19/2023

Trade name: Total Coat Bedliner

· UN-Number		
· DOT, ADR, IMDG, IATA	Not Applicable	
· UN proper shipping name		
DOT	Not Applicable	
ADR	Not Applicable	
IMDG	Not Applicable Not Applicable	
·IATA		
Transport hazard class(es)		
DOT		
Class	Not Applicable	
Label	Not Applicable	
ADR, IMDG		
Class	Not Applicable	
Label	Not Applicable	
ΙΑΤΑ		
Class	Not Applicable	
Label	Not Applicable	
Packing group		
DOT, IMDG, IATA	Not Applicable	
ADR	Not Applicable	
Environmental hazards:	Not Applicable	
Marine pollutant: Special	Not Applicable	
marking (ADR):	Not Applicable	
Special precautions for user		
Danger code (Kemler):	Not Applicable	
EMŠ Number:	Not Applicable	
Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not Applicable	
Transport/Additional information:	Not Applicable	
Transport/Additional information.		
DOT		
Quantity limitations	Not Applicable	
<u>A</u> DR		
Excepted quantities (EQ)	Not Applicable	
IMDG		
Limited quantities (LQ)	Not Applicable	
Excepted quantities (EQ)	Not Applicable	
UN "Model Regulation":	Not Applicable	

Reviewed on 06/19/2023

Printing date 06/19/2023

Trade name: Total Coat Bedliner

# 15 Regulatory information

Section 355 (extremely hazardous sub	stances):
None of the ingredient is listed.	
Section 313 (Specific toxic chemical li	etinas):
2-Butoxyethanol	5%
TSCA (Toxic Substances Control Act):	All ingredients are listed.
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductiv	ve toxicity for females:
None of the ingredients is listed.	
Chemicals known to cause reproductiv	ve toxicity for males:
None of the ingredients is listed.	
Chemicals known to cause developme	ental toxicity:
None of the ingredients is listed.	
-	
Cancerogenity categories	
EPA (Environmental Protection Agency None of the ingredients is listed.	//
TLV (Threshold Limit Value establishe None of the ingredients is listed.	d by ACGIH)
-	
NIOSH-Ca (National Institute for Occup	pational Safety and Health)
None of the ingredients is listed.	
<i>GHS label elements</i> The product is classified and labeled a	according to the Globally Harmonized System (GHS).
<b>Hazard pictograms</b> GHS07	
<i>Signal word</i> Warning <i>Hazard statements</i>	
H302:Harmful if swallowed	
H315:Causes skin irritation	
H320:Causes eye irritation	
Precautionary Statements	
P264: Wash hands thoroughly after ha	ndling.
P270: Do not eat, drink or smoke when	
P271: Use only outdoors or in a well-ve	
P280: Wear protective gloves/protective P302+P352: IF ON SKIN: Wash with ple	ve clothing/ eye protection/face protection.
P332+ P313: If skin irritation occurs: G	
P363: Wash contaminated clothing be	
	autiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsir	
P337+P313: If eye irritation persists: G	
	oison Center or doctor/physician if you feel unwell.
P403+P235: Store in a well ventilated p	ыасе. Кеер Сооі.
P405: Store locked up. 2501: Dispose of contents (container t	o an appropriate treatment and disposal facility in accordance with
applicable laws, regulations and produ	

· Water hazard class: A Water Hazard Assessment has not been carried out.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 06/19/2023

Reviewed on 06/19/2023

Page 9/9

Trade name: Total Coat Bedliner

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
<i>HMIS</i> : 1- Health 0- Fire 0- Reactivity <i>NFPA</i> : 1- Health 0- Fire 0- Reactivity
· Department issuing MSDS: Product safety department.
<ul> <li>Contact: Claus.Grafe@chemicar.com</li> <li>Date of preparation / last revision: 06/19/2023</li> <li>Abbreviations and acronyms:</li> </ul>
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation
IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 2: Flammable liquids, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2
t Data compored to the provious version altered

• \* Data compared to the previous version altered.